
[Print](#) | [Cancel](#)

From: Dr. Joseph Scherger

Date: 10/31/2017 6:33:00 AM

To: Kathy Gold

Subject:: RE: Grade 3 concussion or Grade 2 concussion

Kathy

I know you are trying to better understand what happened to you years ago. Sounds like you experienced all three grades of concussion. Grade 1 you do not lose consciousness and you are dazed for less than 15 minutes. Grade 2 is the same but your symptoms last more than 15 minutes. In a grade 3 or severe concussion you lose consciousness for a few minutes or longer. These are arbitrary differences of mild, moderate and severe concussions. We know that repeated concussions in a short period of time like this causes cumulative damage to the brain. An MRI of your brain could identify if there any damaged areas.

I hope this is helpful.



Joseph Scherger, MD, MPH

-----Original Message-----

Received: 10/30/2017 10:19:00 PM

Subject: Grade 3 concussion or Grade 2 concussion

I'm not sure how to explain this correctly, so I'm gonna try my best.

A person is violently attacked, a few minutes later they are more violently attacked but after the 2nd attack they are dizzy, lost consciousness for a few seconds and their perception is off. After they get up their attacker takes the victim's head and bashes it into a chair, they are really dizzy now, spinning and in pain.

Nobody advises the victim to go to the hospital nor see a doctor. The patient has trouble sleeping, about 2 weeks later, the victim is forced to have the attacker in her vicinity and refuses to leave, and holds the victim hostage and won't allow the victim to leave, when the victim attempts to flee her captor, the attacker, the captor runs after the victim, the victim starts going unconscious, the victim attempted to runaway 3 separate times, 3 separate days. Is it possible from the trauma and stress and the earlier condition of the concussion or multiple concussions, medically the victim could go unconscious and the victim is going in and out of a state of unconsciousness and this goes on for about a week maybe 2 weeks and the entire time the victim is going in and out of unconsciousness.

Could this be an undiagnosed grade 2 or grade 3 concussion? If so which one would it be.

Also could it have been multiple grade 2 and/or 3 concussions or a combination of both, like 2 grade 2 and 1

grade 3?. There was 3 attacks within a 10 minute period, the 1st attack, the victim was lifted off the ground and thrown across a glass dining room table where the victim landed on the carpet, it's possible the victim, a portion of the victim's body hit the glass dining room table but the victim never noticed it cause the next attack came so fast after this attack, the 2nd attack the victim was picked up, their entire body along with a living room lamp, the victim was holding onto the lamp trying to prevent being thrown and both were thrown outside where the victim hit the cement pavement and there was scrapes on the knees and the palm of the hands from the cement, the 3rd attack was directly the head itself, the victim's head was taken and bashed into an office chair, the attacker took his hands, one of them and put it behind the victim's head and bashed it into an office chair, the top area, i've attached a picture of the office chair, it resembled that kind.

the attacker attacked the victim in the victim's house

If you need more specifics, let me know.

Thank You,
Kathy

Kathy Gold

eDoc information is not a substitute for in-office medical care. We provide information to help you become a better informed consumer and a healthier patient. The health information received from eDoc physicians is in no way intended, nor should it be construed, to establish, replace or function as a substitute for a doctor/patient relationship. We encourage all users to maintain and rely upon a doctor/patient relationship with a community based primary care physician of their choice.

[Print](#) | [Cancel](#)